

mariano escobedo n° 564
col. anzuers, 11590
ciudad de méxico
tel. (55) 91484300
www.ema.org.mx

NYCE LABORATORIOS, S.C.

**PONIENTE 122# 627, COLONIA INDUSTRIAL VALLEJO,
ALCALDÍA AZCAPOTZALCO, C.P. 02300. CIUDAD DE MÉXICO**

*As a testing laboratory in accordance with the requirements established
in the Standard NMX-EC-17025-IMNC-2018 ISO/IEC 17025:2017
General requirements for the competence of
testing and calibration laboratories, for the branch of
Electrical Electronics.*

Accreditation number: EE-1458-061/21
Accreditation date: **2021/12/09**

Update date: 2024-01-16
Procedure: extension of scope
Reference: 23LP5352

Issue date: 2024-01-16

The scope for testing is in accordance with:

Household Appliances and Tools

NOM-003-SCFI-2014 - SECTION TWO - APPENDIX J HOME APPLIANCES		
Marking and instructions	NMX-J-521/1-ANCE-2012 Section 7 (7.1 to 7.16)	1, 2, 3, 4, 5 and 7
Protection against access to live parts	NMX-J-521/1-ANCE-2012 Section 8 (8.1 to 8.2)	1, 2, 3, 4, 5 and 7
Starting motor-operated appliances	NMX-J-521/1-ANCE-2012 Section 9	1, 2, 3, 4, 5 and 7
Input power and current	NMX-J-521/1-ANCE-2012 Section 10 (10.1 and 10.2)	1, 2, 3, 4, 5 and 7
Heating	NMX-J-521/1-ANCE-2012 Section 11 (11.1 to 11.8)	1, 2, 3, 4, 5 and 7
Leakage current and dielectric withstand voltage at operating temperature	NMX-J-521/1-ANCE-2012 Section 13 (13.1 to 13.3)	1, 2, 3, 4, 5 and 7

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Transient overvoltages	NMX-J-521/1-ANCE-2012 Section 14 NMX-J-550/4-ANCE-2006	1, 2, 3, 4, 5 and 7
Moisture resistance	NMX-J-521/1-ANCE-2012 Section 15 (15.1 to 15.3) NMX-J-529-ANCE-2020 NMX-J-565-ANCE-2004	1, 2, 3, 4, 5 and 7
Leakage current and electric strength	NMX-J-521/1-ANCE-2012 Section 16 (16.1 to 16.3)	1, 2, 3, 4, 5 and 7
Overload protection of transformers and associated circuits	NMX-J-521/1-ANCE-2012 Section 17	1, 2, 3, 4, 5 and 7
Endurance	NMX-J-521/1-ANCE-2012 Subsection: 18	1, 2, 3, 4, 5 and 7
Abnormal operation	NMX-J-521/1-ANCE-2012 Subsections: 19.1 to 19.11, 19.11.1, 19.11.2, 19.11.3 (except 19.11.4.1 to 19.11.4.7), 19.11.4.8, 19.12, 19.13, 19.14 and 19.15	1, 2, 3, 4, 5 and 7
Stability and mechanical hazards	NMX-J-521/1-ANCE-2012 Section 20 (20.1 and 20.2)	1, 2, 3, 4, 5 and 7
Mechanical strength	NMX-J-521/1-ANCE-2012 Section 21 (21.1 and 21.2)	1, 2, 3, 4, 5 and 7
Construction	NMX-J-521/1-ANCE-2012 Section 22 (22.1 to 22.52) NMX-J-608-ANCE-2014	1, 2, 3, 4, 5 and 7
Internal wiring	NMX-J-521/1-ANCE-2012 Section 23 (23.1 to 23.10)	1, 2, 3, 4, 5 and 7
Components	NMX-J-521/1-ANCE-2012 Section 24 (24.2 to 24.7)	1, 2, 3, 4, 5 and 7
Supply connection and external flexible cords	NMX-J-521/1-ANCE-2012 Section 25 (25.1 to 25.25) Subsections 25.8 and 25.23 with method of NMX-J-066-ANCE-2017)	1, 2, 3, 4, 5 and 7
Terminals for external conductors	NMX-J-521/1-ANCE-2012 Section 26 (26.1 to 26.11)	1, 2, 3, 4, 5 and 7
Provision for earthing	NMX-J-521/1-ANCE-2012 Section 27 (27.1 to 27.6)	1, 2, 3, 4, 5 and 7
Screws and Connections	NMX-J-521/1-ANCE-2012 Section 28 (28.1 to 28.4)	1, 2, 3, 4, 5 and 7
Clearances, creepage distances and solid insulation	NMX-J-521/1-ANCE-2012 Section 29 (29.1 and 29.3 to 29.3.4)	1, 2, 3, 4, 5 and 7

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Resistance to heat and fire	NMX-J-521/1-ANCE-2012 Section 30 (30.1 and 30.2 to 30.2.4) NMX-J-565/2-11-ANCE-2005 NMX-JI-565-11-10-ANCE-NYCE-2020 NMX-J-565/11-5-ANCE-2009 NMX-J-565-10-2-ANCE-2021	1, 2, 3, 4, 5 and 7
Resistance to rusting	NMX-J-521/1-ANCE-2012 Section 31	1, 2, 3, 4, 5 and 7
Radiation, toxicity and similar hazards	NMX-J-521/1-ANCE-2012 Section 32	1, 2, 3, 4, 5 and 7
Appliances powered by rechargeable batteries	NMX-J-521/1-ANCE-2012 Appendix B	1, 2, 3, 4, 5 and 7
Needle flame test	NMX-J-521/1-ANCE-2012 Appendix E NMX-J-565/11-5-ANCE-2009	1, 2, 3, 4, 5 and 7
Motors having basic insulation that is inadequate for the rated voltage of the appliance	NMX-J-521/1-ANCE-2012 Appendix I	1, 2, 3, 4, 5 and 7
Overvoltage Categories	NMX-J-521/1-ANCE-2012 Appendix K	1, 2, 3, 4, 5 and 7
Pollution degree	NMX-J-521/1-ANCE-2012 Appendix M	1, 2, 3, 4, 5 and 7
Proof tracking test	NMX-J-521/1-ANCE-2012 Appendix N NMX-J-574-ANCE-2005	1, 2, 3, 4, 5 and 7
Continual freefall "Procedure 2"	NMX-J-521/1-ANCE-2012 Appendix DA	1, 2, 3, 4, 5 and 7
Deformation test by moulding forces due to temperature	NMX-J-521/1-ANCE-2012 Appendix DE	1, 2, 3, 4, 5 and 7
Particular requirements for electric shavers, hair clippers and similar appliances.	NMX-J-521/2-8-ANCE-2018	1, 2, 3, 4, 5 and 7
Particular requirements for grills, toasters and similar portable cooking appliances	NMX-J-521/2-9-ANCE-2016	1, 2, 3, 4, 5 and 7
Particular requirements for kitchen machines	NMX-J-521-2-14-ANCE-2020	1, 2, 3, 4, 5 and 7
Particular requirements for appliances for heating liquids	NMX-J-521/2-15-ANCE-2013	1, 2, 3, 4, 5 and 7
Particular requirements for appliances for skin or hair care	NMX-J-521/2-23-ANCE-2016	1, 2, 3, 4, 5 and 7
Particular requirements for massage appliances	NMX-J-521/2-32-ANCE-2017	1, 2, 3, 4, 5 and 7

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Particular requirements for portable heating tools and similar appliances	NMX-J-521/2-45-ANCE-2008	1, 2, 3, 4, 5 and 7
Particular requirements for fans	NMX-J-521/2-80-ANCE-2014	1, 2, 3, 4, 5 and 7
Particular requirements for vacuum cleaners and water suction cleaning appliances	NMX-J-521-2-2-ANCE-2019	1, 2, 3, 4, 5 and 7
Particular requirements for electric irons	NMX-J-521/2-3-ANCE-2013	1, 2, 3, 4, 5 and 7
Particular requirements for stationary cooking ranges, hobs, ovens and similar appliances	NMX-J-521/2-6-ANCE-2017 Except: 22.108 to 22.111, 22.135 to 22.137, chapter 31 and 32.101	1, 2, 3, 4, 5 and 7
Particular requirements for deep fat fryers, frying pans and similar appliances	NMX-J-521/2-13-ANCE-2010	1, 2, 3, 4, 5 and 7
Particular requirements for sewing machines	NMX-J-521/2-28-ANCE-2011	1, 2, 3, 4, 5 and 7
Particular requirements for range hoods and other cooking fume extractors	NMX-J-521/2-31-ANCE-2018	1, 2, 3, 4, 5 and 7
Particular requirements for oral hygiene appliances	NMX-J-521/2-52-ANCE-2010	1, 2, 3, 4, 5 and 7
Particular requirements for walk-behind and hand-held lawn trimmers and lawn edge trimmers	NMX-J-521/2-91-ANCE-2019	1, 2, 3, 4, 5 and 7
NOM-003-SCFI-2014 – SECTION FOUR – APPENDIX L CONTROL AND DISTRIBUTION EQUIPMENT		
Humidity Conditioning	NMX-J-515-ANCE-2021 Subsection: 6.1	1, 2, 3 and 4
Insulation resistance	NMX-J-515-ANCE-2021 Subsection: 6.2	1, 2, 3 and 4
Electric strength	NMX-J-515-ANCE-2021 Subsection: 6.3	1, 2, 3 and 4
Overload	NMX-J-515-ANCE-2021 Subsection: 6.4	1, 2, 3 and 4
Temperature increase	NMX-J-515-ANCE-2021 Subsection: 6.5	1, 2, 3 and 4
Marking Test	NMX-J-515-ANCE-2021 Subsection: 6.6	1, 2, 3 and 4
Marked	NMX-J-515-ANCE-2021 Subsection: 7	1, 2, 3 and 4
NOM-003-SCFI-2014 - SECTION FIVE – APPENDIX M LIGHTS		
Mechanical tests - Coatings	NMX-J-307-ANCE-2017 Section 7.1.1	1, 2, 3, 4 and 5
Mechanical tests - Sheet thicknesses	NMX-J-307-ANCE-2017 Section 7.1.2	1, 2, 3, 4 and 5
Mechanical tests - Casting thicknesses	NMX-J-307-ANCE-2017 Subsection 7.1.3	1, 2, 3, 4 and 5
Mechanical tests - Joints	NMX-J-307-ANCE-2017 Subsection 7.1.4	1, 2, 3, 4 and 5
Mechanical tests - Rain resistance	NMX-J-307-ANCE-2017 Subsection 7.1.5 NMX-J-565/8-ANCE-2008	1, 2, 3, 4 and 5

mariano escobedo n° 564
 col. anzuers, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Mechanical tests – Barriers or separators - Barrier Stress	NMX-J-307-ANCE-2017 Subsection 7.1.6	1, 2, 3, 4 and 5
Mechanical tests – Stability test	NMX-J-307-ANCE-2017 Subsection 7.1.7	1, 2, 3, 4 and 5
Mechanical tests – Canopies	NMX-J-307-ANCE-2017 Subsection 7.1.9	1, 2, 3, 4 and 5
Mechanical tests – Pipe	NMX-J-307-ANCE-2017 Subsection 7.1.10	1, 2, 3, 4 and 5
Mechanical tests – Load test	NMX-J-307-ANCE-2017 Subsection 7.1.12	1, 2, 3, 4 and 5
Mechanical tests – Vibration	NMX-J-307-ANCE-2017 Subsection 7.1.18	1, 2, 3, 4 and 5
Electrical tests – Wiring test	NMX-J-307-ANCE-2017 Subsection 7.2.1	1, 2, 3, 4 and 5
Electrical tests – Live parts	NMX-J-307-ANCE-2017 Subsection 7.2.4 NMX-J-565/1-ANCE-2005	1, 2, 3, 4 and 5
Electrical tests – Insulation resistance	NMX-J-307-ANCE-2017 Subsection 7.2.7 NMX-J-568-ANCE-2004	1, 2, 3, 4 and 5
Electrical Tests – Leakage Current Test	NMX-J-307-ANCE-2017 Subsection 7.2.9 NMX-J-565/4-ANCE-2006	1, 2, 3, 4 and 5
Thermal Tests - Temperature increase Test	NMX-J-307-ANCE-2017 Section 7.3.1 NMX-J-565/5-ANCE-2006	1, 2, 3, 4 and 5
Marking	NMX-J-307-ANCE-2017 Section 8	1, 2, 3, 4 and 5
NOM-003-SCFI-2014 - SECTION SIX – APPENDIX N SEASONAL DECORATIVE PRODUCTS		
Marking and instructions	NMX-J-588-ANCE-2017 Section 6 (6.1 to 6.7)	1, 2, 3, 4 and 5
Power connection and cords	NMX-J-588-ANCE-2017 Section 7 (7.1 to 7.9)	1, 2, 3, 4 and 5
Overcurrent protection	NMX-J-588-ANCE-2017 Section 8 (8.1 to 8.7)	1, 2, 3, 4 and 5
Openings in the enclosures	NMX-J-588-ANCE-2017 Section 9 (9.1 and 9.2)	1, 2, 3, 4 and 5
Protection against access to live parts	NMX-J-588-ANCE-2017 Subsection 10 (10.1 to 10.3)	1, 2, 3, 4 and 5
Input current and power	NMX-J-588-ANCE-2017 Section 11 (11.1 to 11.3)	1, 2, 3, 4 and 5
Heating	NMX-J-588-ANCE-2017 Section 12 (12.1 to 12.6)	1, 2, 3, 4 and 5
Leakage current test	NMX-J-588-ANCE-2017 Section 13	1, 2, 3, 4 and 5
Leakage current and electric strength after moisture conditioning	NMX-J-588-ANCE-2017 Section 14 (14.1 to 14.6)	1, 2, 3, 4 and 5
Effort release	NMX-J-588-ANCE-2017 Section 15 (15.1 to 15.3)	1, 2, 3, 4 and 5
Stability	NMX-J-588-ANCE-2017 Section 16	1, 2, 3, 4 and 5

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Bending test	NMX-J-588-ANCE-2017 Section 17	1, 2, 3, 4 and 5
Mechanical assembly requirements for decorative items that use polymeric casings	NMX-J-588-ANCE-2017 Subsection 18 (18.1 and 18.2)	1, 2, 3, 4 and 5
Fall and impact test	NMX-J-588-ANCE-2017 Section 19 (19.1 and 19.2)	1, 2, 3, 4 and 5
Nozzles	NMX-J-588-ANCE-2017 Section 20	1, 2, 3, 4 and 5
Materials	NMX-J-588-ANCE-2017 Section 21 (21.1 and 21.2)	1, 2, 3, 4 and 5
Construction	NMX-J-588-ANCE-2017 Section 22 (22.1 to 22.7.2)	1, 2, 3, 4 and 5
Creepage distances and Clearances	NMX-J-588-ANCE-2017 Section 23	1, 2, 3, 4 and 5
Resistance to heat and the spread of fire	NMX-J-588-ANCE-2017 Section 24 NMX-J-565/2-11-ANCE-2005 NMX-J-192-ANCE-2009	1, 2, 3, 4 and 5
Decorative items for outdoor use	NMX-J-588-ANCE-2017 Subsection 25.1	1, 2, 3, 4 and 5
Molding stress deformation test due to temperature	NMX-J-588-ANCE-2017 Appendix A (A.1 to A.6)	1, 2, 3, 4 and 5
NOM-003-SCFI-2014		
STANDARDS OF REFERENCE		
APPENDIX K.1		
Fire risk tests. Part 11-5: Test Flames – Needle Flame Test Method – Apparatus, Verification Test Device and Guide	NMX-J-565/11-5-ANCE-2009	1, 2, 3, 4, 5, 6 and 7
APPENDIX K.2		
Degrees of protection provided by the enclosures (IP CODE).	NMX-J-529-ANCE-2020	1, 2, 3, 4, 5, 6 and 7
Method for determining test and resistance indices to the formation of conductive paths in solid insulating materials	NMX-J-574-ANCE-2005	1, 2, 3, 4, 5, 6 and 7
HORIZONTAL RULES		
Security requirements – Moisture conditioning – Conditioning method.	NMX-J-565-ANCE-2004	1, 2, 3, 4, 5, 6 and 7
Safety requirements – Protection against electric shock – test method.	NMX-J-565/1-ANCE-2006	1, 2, 3, 4, 5, 6 and 7
Fire Hazard Test – Part 2-11: Glow/Hot Wire Based Test Methods – Glow Wire Flammability Test Method for End Products	NMX-J-565/2-11-ANCE-2005	1, 2, 3, 4, 5, 6 and 7
Safety requirements – Leakage current – test method.	NMX-J-565/4-ANCE-2006	1, 2, 3, 4, 5, 6 and 7
Safety requirements – Heating – test method.	NMX-J-565/5-ANCE-2006	1, 2, 3, 4, 5, 6 and 7

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Safety requirements – Electric strength– Test methods	NMX-J-567-ANCE-2004	1, 2, 3, 4, 5, 6 and 7
Safety requirements – Insulation resistance – Test method	NMX-J-568-ANCE-2004	1, 2, 3, 4, 5, 6 and 7

Test	Standard and/or Method reference	Signatories
Fire risk test. Part 10- 2: Abnormal Heat – Ball pressure test	NMX-J-565-10-2-ANCE-2021.	1, 2, 3, 4, 5, 6 and 7
Incandescent wire. Glow Wire Apparatus and Common Test Procedure	NMX-JI-565-2-10-ANCE-NYCE-2020	1, 2, 3, 4, 5, 6 and 7
Vertical flame and horizontal flame	NMX-JI-565-11-10-ANCE-NYCE-2020	1, 2, 3, 4, 5, 6 and 7

NOM-003-SCFI-2014 - SECTION TWO - APPENDIX J APPLIANCES		
Test	Standard and/or Method reference	Signatories
General conditions for testing	NMX-J-I-62115-ANCE-NYCE-2020 section 5	1, 2, 3, 4 and 5
Criteria for reducing testing	NMX-J-I-62115-ANCE-NYCE-2020 section 6	1, 2, 3, 4 and 5
Marking and instructions	NMX-J-I-62115-ANCE-NYCE-2020 section 7	1, 2, 3, 4 and 5
Input power	NMX-J-I-62115-ANCE-NYCE-2020 section 8	1, 2, 3, 4 and 5
Heating and abnormal operation	NMX-J-I-62115-ANCE-NYCE-2020 section 9	1, 2, 3, 4 and 5
Electric strength	NMX-J-I-62115-ANCE-NYCE-2020 section 10	1, 2, 3, 4 and 5
Electric toys that are used in water, electric toys that are used with liquids, and electric toys that are cleaned with liquid	NMX-J-I-62115-ANCE-NYCE-2020 section 11	1, 2, 3, 4 and 5
Mechanical strength	NMX-J-I-62115-ANCE-NYCE-2020 section 12	1, 2, 3, 4 and 5
Construction	NMX-J-I-62115-ANCE-NYCE-2020 section 13	1, 2, 3, 4 and 5
Protection of cords and cables	NMX-J-I-62115-ANCE-NYCE-2020 section 14	1, 2, 3, 4 and 5
Components	NMX-J-I-62115-ANCE-NYCE-2020 section 15	1, 2, 3, 4 and 5
Screws and connections	NMX-J-I-62115-ANCE-NYCE-2020 section 16	1, 2, 3, 4 and 5
Clearances and creepage distances	NMX-J-I-62115-ANCE-NYCE-2020 section 17	1, 2, 3, 4 and 5
Heat and fire resistance	NMX-J-I-62115-ANCE-NYCE-2020 section 18	1, 2, 3, 4 and 5

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Radiation and similar hazards	NMX-J-I-62115-ANCE-NYCE-2020 section 19	1, 2, 3, 4 and 5
Experiment sets	NMX-J-I-62115-ANCE-NYCE-2020 Appendix A (normative)	1, 2, 3, 4 and 5
Needle flame test	NMX-J-I-62115-ANCE-NYCE-2020 Appendix B (normative)	1, 2, 3, 4 and 5
Electric toys with electronic protection circuits	NMX-J-I-62115-ANCE-NYCE-2020 Appendix D (regulatory)	1, 2, 3, 4 and 5
Safety of electric toys incorporating optical radiation sources	NMX-J-I-62115-ANCE-NYCE-2020 Appendix E (regulatory)	1, 2, 3, 4 and 5
Safety of Remote Controls for Ride-On Electric Toys	NMX-J-I-62115-ANCE-NYCE-2020 Appendix J (regulatory)	1, 2, 3, 4 and 5
Safety aspects that are related to physical and mechanical properties	NMX-J-I-62115-ANCE-NYCE-2020 Appendix L (regulatory)	1, 2, 3, 4 and 5
Symbols	NMX-J-I-62115-ANCE-NYCE-2020 Appendix M (regulatory)	1, 2, 3, 4 and 5

ELECTRONIC		
NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods 5.1		
Audio and video equipment		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 Section 5.1.1 General requirements	NMX-I-60065-NYCE-2015	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.2 General test conditions	NMX-I-60065-NYCE-2015, Chapter 5 (except subsection 5.1.1)	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.3 Marking and instructions.	NOM-001-SCFI-2018 Section 5.1.3	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.5 Heating under normal operating conditions.	NMX-I-60065-NYCE-2015 Chapter 8	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.6 Construction requirements for protection against electric shock.	NMX-I-60065-NYCE-2015. Subsections 9.3 to 9.22 of chapter 9 (except section 9.17)	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.7 Danger of electric shock under normal operating conditions.	NMX-I-60065-NYCE-2015 Chapter 10	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.8 Insulation requirements.	NMX-I-60065-NYCE-2015 Chapter 11	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.9 Failure conditions.	NMX-I-60065-NYCE-2015 Chapter 12	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.10 Mechanical strength.	NMX-I-60065-NYCE-2015	1, 2, 3, 4 and 6

mariano escobedo n° 564
col. anzures, 11590
ciudad de méxico
tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

	Subsections 13.1.1, 13.1.2, 13.1.3, 13.1.4 and 13.1.5 of chapter 13 The devices that are an integral part of the electrical network plug are subject to the tests indicated in section 16.4 of NMX-I-60065-NYCE-2015	
NOM-001-SCFI-2018 Section 5.1.11 Clearances and creepage distances	NMX-I-60065-NYCE-2015 Chapter 14	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.12 Connection terminals.	NMX-I-60065-NYCE-2015 Chapter 16	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.13 Exterior flexible cables.	NMX-I-60065-NYCE-2015 Chapter 17	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.14 Electrical connections and mechanical fixings.	NMX-I-60065-NYCE-2015 Chapter 18	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.16 Stability and mechanical hazards	NMX-I-60065-NYCE-2015 Chapter 20	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.1.17 Fire resistance.	NMX-I-60065-NYCE-2015 Chapter 21 The design evaluation of section 21.1 is excepted and the tests of section 21.2 are not applied to components only to the finished product.	1, 2, 3, 4 and 6

NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods		
5.2 Amusement machines		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 Section 5.2.3 Marking and instructions.	NMX-I-60335-2-82-NYCE-2015 Chapter 7.1 and 7.2	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.4 Protection against access to live parts	NMX-I-60335-2-82-NYCE-2015 Chapter 8	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.5 Power and input current.	NMX-I-60335-2-82-NYCE-2015 Chapter 9	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.6 Warming up.	NMX-I-60335-2-82-NYCE-2015 Chapter 11	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.7 Leakage current and dielectric strength at operating temperature	NMX-I-60335-2-82-NYCE-2015 Chapter 12 Subsections 12.2 and 12.3	1, 2, 3 and 6

mariano escobedo n° 564
col. anzures, 11590
ciudad de méxico
tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods		
5.2 Amusement machines		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 Section 5.2.8 Transient overvoltages, leakage current and dielectric strength	NMX-I-60335-2-82-NYCE-2015 Chapter 13	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.9 Resistance to humidity.	NMX-I-60335-2-82-NYCE-2015 Chapter 14	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.10 Protection against overload of transformers and associated circuits.	NMX-I-60335-2-82-NYCE-2015 Chapter 16	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.11 Abnormal operation	NMX-I-60335-2-82-NYCE-2015 Chapter 17	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.12 Stability and mechanical risks	NMX-I-60335-2-82-NYCE-2015 Chapter 18	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.13 Mechanical resistance (mechanical robustness)	NMX-I-60335-2-82-NYCE-2015 Chapter 19	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.14 Construction	NMX-I-60335-2-82-NYCE-2015 Chapter 20	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.15 Internal wiring	NMX-I-60335-2-82-NYCE-2015 Chapter 21 Subsections 21.1 to 21.8	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.16 Connection to the supply and external flexible cords	NMX-I-60335-2-82-NYCE-2015 Chapter 23 Subsections 23.1 to 23.20	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.17 Terminals for external conductors	NMX-I-60335-2-82-NYCE-2015 Chapter 24 Subsections 24.1 to 24.9	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.18 Provisions for grounding.	NMX-I-60335-2-82-NYCE-2015 Chapter 25	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.19 Screws and connections	NMX-I-60335-2-82-NYCE-2015 Chapter 26	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.20 Dielectric strength between surfaces separated by air, breakdown between insulation and solid insulation.	NMX-I-60335-2-82-NYCE-2015 Chapter 27 Subsections 27.1 to 27.3	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.2.21 Resistance to heat and fire	NMX-I-60335-2-82-NYCE-2015 Chapter 28	1, 2, 3 and 6
NOM-001-SCFI-2018 5.2.22 Oxidation resistance.	NMX-I-60335-2-82-NYCE-2015 Section 29	1, 2, 3 and 6
Flammability of plastic materials for parts in devices and appliances	NMX-J-565/3-ANCE-2006	1, 2, 3 and 6

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods 5.3 Microwave Ovens.		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 Section 5.3.3 Marking and instructions	NOM-001-SCFI-2018 Subsection 5.3.3	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.4 Protection against access to living parts.	NMX-I-60335-2-25-NYCE-2015 Chapter 8	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.5 Power and Input current.	NMX-I-60335-2-25-NYCE-2015 Chapter 9	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.6 Heating	NMX-I-60335-2-25-NYCE-2015 Subsections 10.2 to 10.4 of the chapter 10 The values of table 3.	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.7 Current leakage and dielectric strength at temperature functioning.	NMX-I-60335-2-25-NYCE-2015 Subsections 11.2 and 11.3 of the chapter 11	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.8 Transient surges.	NMX-I-60335-2-25-NYCE-2015 Chapter 12	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.9 Resistance to humidity.	NMX-I-60335-2-25-NYCE-2015 Chapter 13	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.10 Operation abnormal, overload protection transformers and associated circuits.	NMX-I-60335-2-25-NYCE-2015 Chapter 16	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.11 Durability.	NMX-I-60335-2-25-NYCE-2015 Chapter 15	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.12 Stability and mechanical risks.	NMX-I-60335-2-25-NYCE-2015 Chapter 17 For the test of 17.1, apply the load for 1 minute.	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.13 Resistance mechanics.	NMX-I-60335-2-25-NYCE-2015 Chapter 18	1, 2, 3 and 6

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

NOM-001-SCFI-2018 Section 5.3.14 Construction.	NMX-I-60335-2-25-NYCE-2015 Chapter 19	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.15 Wiring internal.	NMX-I-60335-2-25-NYCE-2015 Subsections 20.1 to 20.8 of the chapter 20	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.16 Connection to supply and external flexible cords.	NMX-I-60335-2-25-NYCE-2015 Subsections 22.1 to 22.20 of the chapter 22	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.17 Terminals for external conductors.	NMX-I-60335-2-25-NYCE-2015 Subsections 23.1 to 23.9 of the chapter 23	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.18 Provisions for electrical grounding.	NMX-I-60335-2-25-NYCE-2015 Chapter 24	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.19 Screws and connections.	NMX-I-60335-2-25-NYCE-2015 Chapter 25 with the following considerations for paragraph 25.1 They conduct a current electrical not exceeding 0.5 A, for devices that operate under supervision; They conduct a current electrical not exceeding 0.2 A for devices that operate without supervision.	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.20 Rigidity dielectric between surfaces separated by air, break between isolations and isolations solids.	NMX-I-60335-2-25-NYCE-2015 Subsections 26.1 to 26.3 of the chapter 26	1, 2, 3 and 6
NOM-001-SCFI-2018 Section 5.3.21 Radiation, toxicity and similar risks.	NMX-I-60335-2-25-NYCE-2015 Chapter 27	1, 2, 3 and 6

NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods 5.5 External power supplies		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 Appendix I.1 General requirements	NOM-001-SCFI-2018 Appendix I.1 NMX-I-60950-1-NYCE-2015 Subsections 1.4.4 to 1.4.14	1, 2, 3, 4 and 6

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods		
5.5 External power supplies		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 Appendix I.2 Power interface.	NOM-001-SCFI-2018 Appendix I.2 NMX-I-60950-1-NYCE-2015 Subsections 1.6.2, 1.6.3 and 1.6.4	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.3 Marking and instructions	NOM-001-SCFI-2018 Appendix I.3 NMX-I-60950-1-NYCE-2015. Subsection 1.7	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.4 Protection against electrical shock and energy hazards	NOM-001-SCFI-2018 Appendix I.4 NMX-I-60950-1-NYCE-2015 Sections 2.1 and 2.2	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.5 Circuits to limit current.	NOM-001-SCFI-2018 Appendix I.5 NMX-I-60950-1-NYCE-2015 Subsection 2.4	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.6 Limited power sources.	NOM-001-SCFI-2018 Appendix I.6 NMX-I-60950-1-NYCE-2015 Subsection 2.5	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.7 Protection against overcurrents and ground faults in primary circuits.	NOM-001-SCFI-2018 Appendix I.7 NMX-I-60950-1-NYCE-2015 Subsection 2.7	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.8 Electrical insulation.	NOM-001-SCFI-2018 Appendix I.8 NMX-I-60950-1-NYCE-2015 Subsections 2.9.1, 2.9.2 and 2.9.3	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.9 Distances in air, creepage lines and distances through insulation.	NOM-001-SCFI-2018 Appendix I.9 NMX-I-60950-1-NYCE-2015. Subsections 2.10.1, 2.10.2, 2.10.3.1, 2.10.3.3, 2.10.3.4, 2.10.4, 2.10.5.1, 2.10.5.2, 2.10.5.3 and 2.10.6	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.10 Wiring, connections and power	NOM-001-SCFI-2018 Appendix I.10 NMX-I-60950-1-NYCE-2015 Subsections 3.1.1, 3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.6, 3.1.7, 3.1.8, 3.1.9, 3.1.10, 3.2.1, 3.2 .2, 3.2.3, 3.2.4, 3.2.5, 3.2.6, 3.2.7, 3.2.8, 3.2.9, 3.3.1, 3.3.2, 3.3.3, 3.3.4, 3.3.5, 3.3.6, 3.3.7, 3.3.8, 3.4.1, 3.4.2, 3.4.3, 3.4.4, 3.4.5, 3.4.6, 3.4.7, 3.4.8, 3.4.9, 3.4 .10 and 3.4.11	1, 2, 3, 4 and 6

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods		
5.5 External power supplies		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 Appendix I.11 Physical requirements (Stability and Mechanical resistance).	NOM-001-SCFI-2018 Appendix I.11 NMX-I-60950-1-NYCE-2015 Subsections 4.1, 4.2.1, 4.2.2, 4.2.3, 4.2.4, 4.2.5, 4.2.6, 4.2.7 and 4.2.10	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.12 Design and construction	NOM-001-SCFI-2018 Appendix I.12 Subsections I.12.1, I.12.2, I.12.2.1, I.12.2.2, I.12.2.3 (except removable blades) NMX-I-60950-1-NYCE-2015 Subsections 4.3.1, 4.3.2, 4.3.3, 4.3.5, 4.3.6, 4.3.8 and 4.3.9	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.13 Thermal requirements.	NOM-001-SCFI-2018 Appendix I.13 NMX-I-60950-1-NYCE-2015 Subsection 4.5	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.14 Openings in cabinets.	NOM-001-SCFI-2018 Appendix I.14 NMX-I-60950-1-NYCE-2015 Subsections 4.6.1, 4.6.2 and 4.6.4	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.15 Fire resistance.	NOM-001-SCFI-2018 Appendix I.15 NMX-I-60950-1-NYCE-2015 Section 4.7 (except 4.7.3.3, 4.7.3.5 and 4.7.3.6 which only applies to finished product)	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.16 Contact current and current in the protective conductor.	NOM-001-SCFI-2018 Appendix I.16 NMX-I-60950-1-NYCE-2015 Subsections 5.1, 5.1.1, 5.1.2, 5.1.3, 5.1.4, 5.1.5, 5.1.6 and 5.1.7	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.17 Dielectric strength.	NOM-001-SCFI-2018 Appendix I.17 NMX-I-60950-1-NYCE-2015 Section 5.2	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Appendix I.18 Abnormal operation and failure conditions.	NOM-001-SCFI-2018 Appendix I.18 NMX-I-60950-1-NYCE-2015 Subsections 5.3.1, 5.3.7, 5.3.9 and when 5.3.3 applies	1, 2, 3, 4 and 6

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods 5.6 Electronic toys		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 General conditions for testing	NMX-J-I-62115-ANCE-NYCE-2020 section 5	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Criteria to reduce testing	NMX-J-I-62115-ANCE-NYCE-2020 section 6	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Marking and instructions	NMX-J-I-62115-ANCE-NYCE-2020 section 7	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Input power	NMX-J-I-62115-ANCE-NYCE-2020 section 8	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Heating and abnormal operation	NMX-J-I-62115-ANCE-NYCE-2020 section 9	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Dielectric resistance to tension	NMX-J-I-62115-ANCE-NYCE-2020 section 10	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Electric toys that are used in water, electric toys that are used with liquids and electric toys that are cleaned with liquid	NMX-J-I-62115-ANCE-NYCE-2020 section 11	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Mechanical resistance	NMX-J-I-62115-ANCE-NYCE-2020 section 12	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Construction	NMX-J-I-62115-ANCE-NYCE-2020 section 13	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Protection of cords and cables	NMX-J-I-62115-ANCE-NYCE-2020 section 14	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Components	NMX-J-I-62115-ANCE-NYCE-2020 section 15	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Screws and connections	NMX-J-I-62115-ANCE-NYCE-2020 section 16	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Isolation distances and creepage distances	NMX-J-I-62115-ANCE-NYCE-2020 section 17	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Resistance to heat and fire	NMX-J-I-62115-ANCE-NYCE-2020 section 18	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Radiation and similar hazards	NMX-J-I-62115-ANCE-NYCE-2020 section 19	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Experiment games	NMX-J-I-62115-ANCE-NYCE-2020 Appendix A (normative)	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Needle Flame Test	NMX-J-I-62115-ANCE-NYCE-2020 Appendix B (normative)	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Electric toys with electronic protection circuits	NMX-J-I-62115-ANCE-NYCE-2020 Appendix D (regulatory)	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Safety of electric toys that incorporate optical radiation sources	NMX-J-I-62115-ANCE-NYCE-2020 Appendix E (regulatory)	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Safety of remote controls for rideable electric toys	NMX-J-I-62115-ANCE-NYCE-2020 Appendix J (regulatory)	1, 2, 3, 4 and 5

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

NOM-001-SCFI-2018 Safety aspects that are related to physical and mechanical properties	NMX-J-I-62115-ANCE-NYCE-2020 Appendix L (normative)	1, 2, 3, 4 and 5
NOM-001-SCFI-2018 Symbols	NMX-J-I-62115-ANCE-NYCE-2020 Appendix M (regulatory)	1, 2, 3, 4 and 5

NOM-001-SCFI-2018, Electronic devices-Safety requirements and test methods 5.7 Miscellaneous or miscellaneous products		
Test	Standard and/or Method reference	Signatories
NOM-001-SCFI-2018 Section 5.7 Power interface.	NMX-I-60950-1-NYCE-2015 Chapter 1 section 1.6	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.7 Protection against dangers.	NMX-I-60950-1-NYCE-2015 Episode 2	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.7 Wiring, connection and power.	NMX-I-60950-1-NYCE-2015 Chapter 3	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.7 Physical requirements	NMX-I-60950-1-NYCE-2015 Chapter 4 (except subsection 4.2.8 Cathode Ray Tubes, 4.2.9 High pressure lamps, 4.3.12 flammable liquids 4.3.13 Lasers)	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.7 Electrical requirements and simulated abnormal conditions	NMX-I-60950-1-NYCE-2015 Chapter 5	1, 2, 3, 4 and 6
NOM-001-SCFI-2018 Section 5.7 Protection of maintenance personnel of the telecommunications network and users of other equipment connected to the network, from dangers in the equipment.	NMX-I-60950-1-NYCE-2015 Section 6.1, 6.2 and/or 7.2 and 7.3	1, 2, 3, 4 and 6

Test	Standard and/or Method reference	Signatories
Functioning.	NOM-016-SCFI-1993 Section 5.1	1, 2, 3, 4 and 6
Heating under normal operating conditions.	NOM-016-SCFI-1993 Section 5.2	1, 2, 3, 4 and 6
Electrical overload protector.	NOM-016-SCFI-1993 Section 5.3	1, 2, 3, 4 and 6
Moisture resistance.	NOM-016-SCFI-1993 Section 5.4	1, 2, 3, 4 and 6
Dielectric strength	NOM-016-SCFI-1993 Section 5.5	1, 2, 3, 4 and 6
Insulation resistance.	NOM-016-SCFI-1993 Section 5.6	1, 2, 3, 4 and 6

mariano escobedo n° 564
 col. anzures, 11590
 ciudad de méxico
 tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Test	Standard and/or Method reference	Signatories
Leakage current.	NOM-016-SCFI-1993 Section 5.7	1, 2, 3, 4 and 6
Finish.	NOM-016-SCFI-1993 Section 5.8	1, 2, 3, 4 and 6
Construction.	NOM-019-SCFI-1998 Section 5	1, 2, 3, 4 and 6
Power connections.	NOM-019-SCFI-1998 Section 6	1, 2, 3, 4 and 6
Internal wiring.	NOM-019-SCFI-1998 Section 7	1, 2, 3, 4 and 6
Secondary circuits.	NOM-019-SCFI-1998 Section 8	1, 2, 3, 4 and 6
Isolating material.	NOM-019-SCFI-1998 Section 9	1, 2, 3, 4 and 6
Living parts.	NOM-019-SCFI-1998 Section 10	1, 2, 3, 4 and 6
Protection for overcurrent (overload).	NOM-019-SCFI-1998 Section 11	1, 2, 3, 4 and 6
Ground connection.	NOM-019-SCFI-1998 Section 12	1, 2, 3, 4 and 6
Functioning.	NOM-019-SCFI-1998 Section 13	1, 2, 3, 4 and 6
Power supply	NOM-019-SCFI-1998 Section 14	1, 2, 3, 4 and 6
Temperature test.	NOM-019-SCFI-1998 Section 15	1, 2, 3, 4 and 6
Moisture treatment.	NOM-019-SCFI-1998 Section 16	1, 2, 3, 4 and 6
Dielectric strength test.	NOM-019-SCFI-1998 Section 17	1, 2, 3, 4 and 6
Stability	NOM-019-SCFI-1998 Section 18	1, 2, 3, 4 and 6
Mechanical stress.	NOM-019-SCFI-1998 Section 20	1, 2, 3, 4 and 6
Marking	NOM-019-SCFI-1998 Section 23	1, 2, 3, 4 and 6

DRIVERS		
Test	Standard and/or Method reference	Signatories
DETERMINATION OF THE DIAMETER AND THE AREA OF THE CROSS SECTION OF ELECTRICAL CONDUCTORS-TEST METHOD (CANCELING NMX-J-066-ANCE-2007; STANDARD REFERRED TO IN NOM-003-SCFI-2014)	NMX-J-066-ANCE-2017.	1, 2, 3, 4, 5, 6 and 7

mariano escobedo n° 564
col. anzuces, 11590
ciudad de méxico
tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

ENERGY EFFICIENCY		
Energy efficiency of external power supplies. Limits, test methods, marking and labeling.	NOM-029-ENER-2017. Section 8.1 General conditions for measurements	1, 2, 3, 4, 5 and 6
Energy efficiency of external power supplies. Limits, test methods, marking and labeling.	NOM-029-ENER-2017. Section 8.2 Load conditions and nominal output electrical voltage	1, 2, 3, 4, 5 and 6
Energy efficiency of external power supplies. Limits, test methods, marking and labeling.	NOM-029-ENER-2017. Section 8.3 Electrical power measurement	1, 2, 3, 4, 5 and 6
Energy efficiency of external power supplies. Limits, test methods, marking and labeling.	NOM-029-ENER-2017. Section 8.4 Calculation of energy efficiency in active mode	1, 2, 3, 4, 5 and 6
Energy efficiency of external power supplies. Limits, test methods, marking and labeling.	NOM-029-ENER-2017. Section 8.5 Calculation of the power consumed in no-load mode	1, 2, 3, 4, 5 and 6
Energy efficiency of external power supplies. Limits, test methods, marking and labeling.	NOM-029-ENER-2017. Section 9 Criteria of acceptance	1, 2, 3, 4, 5 and 6
Energy efficiency of external power supplies. Limits, test methods, marking and labeling.	NOM-029-ENER-2017. Section 10.1 and 10.2 Marking and labeling	1, 2, 3, 4, 5 and 6
Maximum electrical power limits for equipment and devices that demand standby power. Testing and labeling methods.	NOM-032-ENER-2013. Subsection 7 (7.1 to 7.3.7.2) - Test methods	1, 2, 3, 4, 5 and 6
Maximum electrical power limits for equipment and devices that demand standby power. Testing and labeling methods.	NOM-032-ENER-2013. Section 9 (9.1 to 9.3.3) - Labeling	1, 2, 3, 4, 5 and 6
Standby power measurement method	NOM-032-ENER-2013 Based on NMX-J-551-ANCE-2012	1, 2, 3, 4, 5 and 6
Energy efficiency: Audio and video	ENERGY STAR® Program Requirements for Audio/Video, Test Method Rev. Jul-2012, 7 TEST PROCEDURES FOR ALL PRODUCTS, 7.1 Auto Power Down (APD) Function	1, 2, 3, 4, 5 and 6

mariano escobedo n° 564
col. anzures, 11590
ciudad de méxico
tel. (55) 91484300
www.ema.org.mx

Reference: 23LP5352

Energy efficiency: Audio and video	ENERGY STAR® Program Requirements for Audio/Video, Test Method Rev. Jul-2012, 7 TEST PROCEDURES FOR ALL PRODUCTS, 7.2 Idle State	1, 2, 3, 4, 5 and 6
Energy efficiency: Audio and video	ENERGY STAR® Program Requirements for Audio/Video, Test Method Rev. Jul-2012, 7 TEST PROCEDURES FOR ALL PRODUCTS, 7.3 Sleep Mode	1, 2, 3, 4, 5 and 6
Energy efficiency: Audio and video	ENERGY STAR® Program Requirements for Audio/Video, Test Method Rev. Jul-2012, 8 TEST PROCEDURES FOR OPTICAL DISC PLAYERS, 8.1 Video Playback Test	1, 2, 3, 4, 5 and 6
Energy efficiency: Audio and video	ENERGY STAR® Program Requirements for Audio/Video, Test Method Rev. Jul-2012, 8 TEST PROCEDURES FOR OPTICAL DISC PLAYERS, 8.2 Audio Playback Test	1, 2, 3, 4, 5 and 6
Energy efficiency: Audio and video	ENERGY STAR® Program Requirements for Audio/Video, Test Method Rev. Jul-2012, 9 TEST PROCEDURES FOR PRODUCTS WITH AUDIO AMPLIFICATION	1, 2, 3, 4, 5 and 6

Authorized signatories

1. Cesar Eduardo Silva Padilla
2. Eduardo Mendoza Cárdenas
3. Uriel Ayala Rocha
4. Francisco González Martínez
5. Judith Alejandra Venegas Palacios
6. Alan Pastor Díaz Hernández
7. Oscar Omar Solórzano Hernández

By the entidad mexicana de acreditación, a.c.

María Isabel López Martínez
General Director